

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	17	(713/170.ccls. or 713/171.ccls.) and @ad<"20010821" and @pd>"20050221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 13:42
S1	378	713/170.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 09:32
S2	262	S1 and @ad<"20010821"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 12:15
S3	13	S2 and nonce\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 12:24
S4	73	nonce\$2 and @ad<"20010821" and replay adj attack\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 15:57
S5	71	S4 not S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 13:42
S6	378	713/170.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 15:57
S7	262	S6 and @ad<"20010821"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 15:57

S8	13	S7 and nonce\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 15:57
S9	73	nonce\$2 and @ad<"20010821" and replay adj attack\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 15:57
S10	71	S9 not S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 15:57
S11	26	nonce\$2 and @ad<"20010821" and replay not S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 15:57
S12	369	713/171.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/21 10:27
S13	34	S12 and replay\$2 and @ad<"20010821"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/21 10:28
S14	168	"713"/\$.ccls. and "380"/\$.ccls. and replay\$2 and @ad<"20010821"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/21 10:30
S15	378	713/170.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/21 10:30

S16	262	S15 and @ad<"20010821"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/21 10:30
S17	13	S16 and nonce\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/21 10:30
S18	73	nonce\$2 and @ad<"20010821" and replay adj attack\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/21 10:30
S19	71	S18 not S17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/21 10:30
S20	26	nonce\$2 and @ad<"20010821" and replay not S19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/21 10:30
S21	153	S14 not (S18 or S20)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/21 10:31
S22	153	S21 not S20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/21 10:36
S23	149	S22 and (nonce or number or time-stamp or time adj stamp)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/21 10:43

S24	2	S23 and nonce	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/21 10:43
S25	2	"5970143".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/21 13:24
S26	1	S25 and replay\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/21 13:24
S27	0	nonce with (largest or biggest or greatest) near (nonce\$2 or value\$2 or number\$2) and @ad<"20010821"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 17:35
S28	0	nonce with (largest or biggest or greatest) and @ad<"20010821"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 17:35
S29	56	nonce with (compar\$3 or determin\$3) and @ad<"20010821"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 17:37
S30	2960	(compar\$4 or determin\$3) with (largest or biggest or greatest) near (value\$2 or number\$2 or nonce\$2) and @ad<"20010821"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 17:45
S31	2960	(compar\$4 or determin\$3) with (largest or biggest or greatest) near (value\$2 or number\$2 or nonce\$2) and @ad<"20010821"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 17:40

S32	1148	(compar\$4) with (largest or biggest or greatest) near (value\$2 or number\$2 or nonce\$2) and @ad<"20010821"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 17:41
S33	149	(compar\$4) with (largest or biggest or greatest) near (value\$2 or number\$2 or nonce\$2) same (receiv\$3 with (value\$2 or number\$2 or nonce\$2)) and @ad<"20010821"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 17:42
S34	18	(compar\$4) with (largest or biggest or greatest) near (value\$2 or number\$2 or nonce\$2) and replay\$2 and @ad<"20010821"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 17:42
S35	0	(compar\$4 or determin\$3) with (largest or biggest or greatest) with (nonce\$2) and @ad<"20010821"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 17:46
S36	0	(slid\$3 near window) and (replay with attack\$2) and @ad<"20010821"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 09:33
S37	3	(slid\$3 near2 window) and (replay with attack\$2) and @ad<"20010821"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 12:23
S38	5	(accept\$4 near2 window) and (replay with attack\$2) and @ad<"20010821"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 10:09
S39	0	"6823453".pn. and (largest or biggest or greatest) and @ad<"20010821"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 09:41

S40	2	"6823453".pn. and (value\$3 or time\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 09:41
S41	4	"5852944".pn. "4847614".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 09:59
S42	9	(accept\$4 near2 window) and spoof\$3 and @ad<"20010821"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 10:11
S43	7	S42 not S38	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 10:10
S44	48	(slid\$4 near2 window) and spoof\$3 and @ad<"20010821"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 10:23
S45	274	window and (((spoof\$3 or replay\$3) with prevent\$3) or replay adj attack\$2) and @ad<"20010821"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 10:25
S46	71	(window with (value\$2 or nonce\$2)) and (((spoof\$3 or replay\$3) with prevent\$3) or replay adj attack\$2) and @ad<"20010821"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 11:41
S47	224	(range with (value\$2 or nonce\$2)) and (((spoof\$3 or replay\$3) with prevent\$3) or replay adj attack\$2) and @ad<"20010821"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 11:40

S48	71	((compar\$4 or valid) with range with (value\$2 or number\$2 or nonce\$2)) and (((spooof\$3 or replay\$3) with prevent\$3) or replay adj attack\$2) and @ad<"20010821"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 10:45
S49	2	(compar\$4 with range with ((valid or accept\$4) near2 (value\$2 or number\$2 or nonce\$2))) and (((spooof\$3 or replay\$3) with prevent\$3) or replay adj attack\$2) and @ad<"20010821"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 10:50
S50	11	(range with ((valid or accept\$4) near2 (value\$2 or number\$2 or nonce\$2))) and (((spooof\$3 or replay\$3) with prevent\$3) or replay adj attack\$2) and @ad<"20010821"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 10:50
S51	19	S46 and S47	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 11:41
S52	276	S46 or S47	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 11:41
S53	52	((window or range) with (acceptable or valid) with (value\$2 or number\$2 or nonce\$2)) and (((spooof\$3 or replay\$3) with prevent\$3) or replay adj attack\$2) and @ad<"20010821"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 11:42
S54	9	((window or range) with (acceptable or valid) near2 (value\$2 or number\$2 or nonce\$2)) and (((spooof\$3 or replay\$3) with prevent\$3) or replay adj attack\$2) and @ad<"20010821"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 11:42
S55	10	((window or range) with (value\$2 or number\$2 or nonce\$2)) same (((spooof\$3 or replay\$3) with prevent\$3) or replay adj attack\$2) and @ad<"20010821"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 11:44

S56	105	((window or range) with (value\$2 or number\$2 or nonce\$2)) same ((compar\$3 or determin\$3) with (value\$2 or number\$2 or nonce\$2)) and (((spooof\$3 or replay\$3) with prevent\$3) or replay adj attack\$2) and @ad<"20010821"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 11:47
S57	20	((window or range) with (value\$2 or number\$2 or nonce\$2)) same receiv\$3 same ((compar\$3 or determin\$3) with (value\$2 or number\$2 or nonce\$2)) and (((spooof\$3 or replay\$3) with prevent\$3) or replay adj attack\$2) and @ad<"20010821"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 11:53
S58	78	((window or range) with (value\$2 or number\$2 or nonce\$2)) same (greater or less adj than or equal) and (((spooof\$3 or replay\$3) with prevent\$3) or replay adj attack\$2) and @ad<"20010821"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 11:54
S59	39	((window or range) with (value\$2 or number\$2 or nonce\$2)) same (value\$2 or number\$2 or nonce\$2) with (greater or less adj than or equal) and (((spooof\$3 or replay\$3) with prevent\$3) or replay adj attack\$2) and @ad<"20010821"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 11:55
S60	21	((window or range) with (value\$2 or number\$2 or nonce\$2)) same (value\$2 or number\$2 or nonce\$2) with (greater adj than or less adj than or equal\$2) and (((spooof\$3 or replay\$3) with prevent\$3) or replay adj attack\$2) and @ad<"20010821"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 11:55
S61	21	((window or range) with (value\$2 or number\$2 or nonce\$2)) same (value\$2 or number\$2 or nonce\$2) with ((larger or greater) adj than or less adj than or equal\$2) and (((spooof\$3 or replay\$3) with prevent\$3) or replay adj attack\$2) and @ad<"20010821"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 11:58
S62	0	((window or range) with (value\$2 or number\$2 or nonce\$2)) same (value\$2 or number\$2 or nonce\$2) with ((bigger or larger or greater) adj than or less adj than) and (((spooof\$3 or replay\$3) with prevent\$3) or replay adj attack\$2) and @ad<"20010821"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 11:59

S63	0	((window or range) with (value\$2 or number\$2 or nonce\$2)) same (value\$2 or number\$2 or nonce\$2) with (((bigger or larger or greater) adj than) or less adj than) and (((spoof\$3 or replay\$3) with prevent\$3) or replay adj attack\$2) and @ad<"20010821"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 11:59
S64	0	((window or range) with (value\$2 or number\$2 or nonce\$2)) same (value\$2 or number\$2 or nonce\$2) with (((bigger or larger or greater) adj than) or (less adj than)) and (((spoof\$3 or replay\$3) with prevent\$3) or replay adj attack\$2) and @ad<"20010821"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 11:59
S65	0	((window or range) with (value\$2 or number\$2 or nonce\$2)) same (value\$2 or number\$2 or nonce\$2) with (((bigger or larger or greater) adj than) or (less near than)) and (((spoof\$3 or replay\$3) with prevent\$3) or replay adj attack\$2) and @ad<"20010821"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 12:00
S66	74	((window or range) with (value\$2 or number\$2 or nonce\$2)) same (value\$2 or number\$2 or nonce\$2) with (bigger or larger or greater or less) and (((spoof\$3 or replay\$3) with prevent\$3) or replay adj attack\$2) and @ad<"20010821"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 12:02
S67	0	((window or range) with (value\$2 or number\$2 or nonce\$2)) same (value\$2 or number\$2 or nonce\$2) with ((bigger or larger or greater or less) adj than) and (((spoof\$3 or replay\$3) with prevent\$3) or replay adj attack\$2) and @ad<"20010821"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 12:02
S68	0	((window or range) with (value\$2 or number\$2 or nonce\$2)) same (value\$2 or number\$2 or nonce\$2) with ((bigger adj than) or (larger adj than) or (greater adj than) or (less adj than)) and (((spoof\$3 or replay\$3) with prevent\$3) or replay adj attack\$2) and @ad<"20010821"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 12:03
S69	33	((window or range) with (value\$2 or number\$2 or nonce\$2)) same (value\$2 or number\$2 or nonce\$2) near2 (bigger or larger or greater or less) and (((spoof\$3 or replay\$3) with prevent\$3) or replay adj attack\$2) and @ad<"20010821"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 12:19

S70	0	((window or range) with (value\$2 or number\$2 or nonce\$2)) same (value\$2 or number\$2 or nonce\$2) near2 less adj than and (((spooof\$3 or replay\$3) with prevent\$3) or replay adj attack\$2) and @ad<"20010821"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 12:20
S71	0	((window or range) with (value\$2 or number\$2 or nonce\$2)) same (value\$2 or number\$2 or nonce\$2) with less adj than and (((spooof\$3 or replay\$3) with prevent\$3) or replay adj attack\$2) and @ad<"20010821"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 12:20
S72	0	((window or range) with (value\$2 or number\$2 or nonce\$2)) same (value\$2 or number\$2 or nonce\$2) with "less than" and (((spooof\$3 or replay\$3) with prevent\$3) or replay adj attack\$2) and @ad<"20010821"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 12:20
S73	0	((window or range) with (value\$2 or number\$2 or nonce\$2)) same (value\$2 or number\$2 or nonce\$2) with ((bigger or greater or larger or less) with than) and (((spooof\$3 or replay\$3) with prevent\$3) or replay adj attack\$2) and @ad<"20010821"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 12:20
S74	0	((window or range) with (value\$2 or number\$2 or nonce\$2)) same (value\$2 or number\$2 or nonce\$2) with ((bigger or greater or larger or less) with "than") and (((spooof\$3 or replay\$3) with prevent\$3) or replay adj attack\$2) and @ad<"20010821"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 12:21
S75	56360	((window or range) with (value\$2 or number\$2 or nonce\$2)) same (value\$2 or number\$2 or nonce\$2) with (bigger or greater or larger or less) and @ad<"20010821"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 12:22
S76	1078	(slid\$3 near2 window) with (nonce\$2 or value\$2 or number\$2) and @ad<"20010821"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 12:24
S77	0	(slid\$3 near2 window) with nonce\$2 and @ad<"20010821"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 12:24

S78	225	(slid\$3 near2 window) same (nonce\$2 or value\$2 or number\$2) with (larger or bigger or greater or less) and @ad<"20010821"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 16:38
S79	111	(slid\$3 near2 window) same (nonce\$2 or value\$2 or number\$2) near2 (larger or bigger or greater or less) and @ad<"20010821"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 12:26
S80	22	(compar\$3 or determin\$3) with (slid\$3 near2 window) same (nonce\$2 or value\$2 or number\$2) near2 (larger or bigger or greater or less) and @ad<"20010821"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 15:33
S81	3863	(compar\$3 or determin\$3) with (window or range) with (nonce\$2 or value\$2 or number\$2) same (nonce\$2 or value\$2 or number\$2) near2 (larger or bigger or greater or less) and @ad<"20010821"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 15:36
S82	189	(compar\$3 or determin\$3) near2 (nonce\$2 or value\$2 or number\$2) near (window or range) same (nonce\$2 or value\$2 or number\$2) near2 (larger or bigger or greater or less) and @ad<"20010821"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 15:36
S83	373	(compar\$3 or determin\$3) near2 (nonce\$2 or value\$2 or number\$2) near2 (window or range) same (nonce\$2 or value\$2 or number\$2) near2 (larger or bigger or greater or less) and @ad<"20010821"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 15:37
S84	0	(compar\$3 or determin\$3) near2 (nonce\$2 or value\$2 or number\$2) near2 (window or range) same (nonce\$2 or value\$2 or number\$2) near2 (less adj "than") and @ad<"20010821"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 15:38
S85	0	(compar\$3 or determin\$3) near2 (nonce\$2 or value\$2 or number\$2) near2 (window or range) same (nonce\$2 or value\$2 or number\$2) near2 (greater adj than) and @ad<"20010821"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 15:38

S86	3	less adj than	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 15:39
S87	372	(compar\$3 or determin\$3) near2 (nonce\$2 or value\$2 or number\$2) near2 (window or range) same (nonce\$2 or value\$2 or number\$2) near2 (greater or larger or less) and @ad<"20010821"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 15:47
S88	3	S87 and (replay adj attack\$2 or spooof\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 15:40
S89	32	(compar\$3 or determin\$3) near2 (nonce\$2 or value\$2 or number\$2) near2 (window or range) with (valid or acceptable or stored) same (nonce\$2 or value\$2 or number\$2) near2 (greater or larger or less) and @ad<"20010821"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 15:51
S90	39	(compar\$3 or determin\$3) near2 (nonce\$2 or value\$2 or number\$2) near2 (window or range) and (nonce\$2 or value\$2 or number\$2) near2 (greater or larger or less) and (replay\$2 or spooof\$3) and @ad<"20010821"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 15:52
S91	10	(compar\$3 or determin\$3) near2 (nonce\$2 or value\$2 or number\$2) near2 (window or range) and (nonce\$2 or value\$2 or number\$2) near2 (greater or larger or less) and ((prevent\$3 with replay\$2) or spooof\$3 or replay adj attack\$2) and @ad<"20010821"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 15:55
S92	18	(nonce\$2 or value\$2 or number\$2) near3 (window) same (nonce\$2 or value\$2 or number\$2) near2 (greater or larger or less) and ((prevent\$3 with replay\$2) or spooof\$3 or replay adj attack\$2) and @ad<"20010821"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 15:58

S93	66	(nonce\$2 or value\$2 or number\$2) with (window) and (nonce\$2 or value\$2 or number\$2) near2 (greater or larger or less) and ((prevent\$3 with replay\$2) or spoof\$3 or replay adj attack\$2) and @ad<"20010821" not S92	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 16:06
S94	2	"5499297".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 16:00
S95	1	S94 and window	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 16:00
S96	66	(nonce\$2 or value\$2 or number\$2) with (window) and (nonce\$2 or value\$2 or number\$2) near2 (greater or larger or less) and ((prevent\$3 with replay\$2) or spoof\$3 or replay adj attack\$2) and @ad<"20010821" not S92	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 16:16
S97	2	"6823453".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 16:22
S98	2	"6169492".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 16:23
S99	2	"20030002676".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 16:24
S100	1	S99 and (value\$2 or number\$2 or nonce\$2) and window	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 16:24

S10 1	0	(slid\$3 near2 window) same (nonce\$2 or value\$2 or number\$2) with (larger adj than or bigger adj than or greater adj than or less adj than) and @ad<"20010821"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 16:39
S10 2	111	(slid\$3 near2 window) same (nonce\$2 or value\$2 or number\$2) near2 (larger or bigger or greater or less) and @ad<"20010821"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 16:41
S10 3	1	(slid\$3 near2 window) same (nonce\$2 or value\$2 or number\$2) near2 (larger or bigger or greater or less) near2 (stored or memory) and @ad<"20010821"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 16:42
S10 4	8	((slid\$3 near2 window) same (nonce\$2 or value\$2 or number\$2) near2 (larger or bigger or greater or less)) and ((replay adj attack\$2) or ((invalid or old or malicious) with message\$2)) and @ad<"20010821"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 16:58
S10 5	0	compar\$3 with (window or range) with if near2 (value\$2 or nonce or number) with less and @ad<"20010821"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 16:59